KX-TDA50

Digital Hybrid IP-PBX System



Panasonic ideas for life



Making the System Work for You.

Panasonic is a major worldwide innovator in business telephone system engineering, and has consistently provided state-of-the-art telephone equipment for more than 40 years.

Nowadays, if your business is to remain competitive, it needs a communication solution that can change rapidly with you.

The KX-TDA50 was designed to provide growth for your business while maintaining a small, compact design. It also gives you the tools you need to provide small business solutions at an affordable price.

What that means to you is, if you find that your needs have grown, you can add additional cards and telephones to your existing system without having to buy a whole new one.

System Overview

The design of the KX-TDA50 allows you to expand your system as your needs grow by plugging in additional cards and telephones to the plug-in architecture. This means, if you start with a basic system and find that your needs have grown, you can add additional cards and telephones to your existing system without having to buy a whole new system.

In terms of maximum capacity, the KX-TDA50 can support up to 8 CO lines and 28 extension ports which, in turn, can support up to 28 wireless handsets and 24 wired telephones. All of the Panasonic KX-T7000, 7200, 7300, 7400, 7600 and 7700 series proprietary telephones work with the KX-TDA50 system. So, if you already own a Panasonic system with one of these phone series it will be inexpensive to upgrade to this system. And, while you are upgrading, don't forget that the KX-TDA50 can also be easily upgraded to our multi-cell wireless telephones, so it's easy to keep on top of things in a busy working environment.

Additionally, the KX-TDA50 has a small, compact design. But that does not diminish its capabilities. A state-of-the-art engineering design has enabled the production of a small system that provides for a large amount of features while taking up less room.

One of the great things about this system is that it has an optional internal IP Gateway Card for VOIP communications. By using the optional VOIP connection you can connect to a Local Area Network (LAN) or a Wide Area Network (WAN) at virtually no cost to the user! The cost savings come from achieving greater use of your fixed cost infrastructure and less use of variable cost telephone lines.

The KX-TDA50 allows you to add a new level of security to your business with the support of optional door intercoms and electrical contacts that permit you to control an electronic door strike or any other compatible electric device through the telephone. Each door intercom has its own distinctive ring and LCD display information so you can easily identify which doorphone has been activated. With the KX-TDA50 you can use up to 4 doorphones and 4 contact closures.



The Panasonic KXX-TDA50

A complete communications solution for both small and medium-sized businesses.

2.4GHz Wireless Telephone

Integrating 2.4GHz Multi-Cell wireless telephones with the KX-TDA50 means that the benefits of your phone system can now "follow" you where ever you are on your premises.

Digitally enhanced wireless telephony allows voice and data transmission via radio waves, within the range of up to 8 strategically placed cell stations. As you move throughout the coverage area, the system provides seamless communication by handing off the call from cell station to cell station. It's a low-cost and highly flexible solution that keeps people connected whether they are in the warehouse, in a showroom, in a home or just about anywhere on site.

2.4GHz Multi-Cell Wireless Telephone System Features

- 28 handsets can be registered to one system (Up to 16 can be used simultaneously)
- Handsets can be registered on multiple systems (Office and Home)
- Secure high quality digital speech transmission and reliability
- Caller ID¹ name and number compatible
- Programmable multiple ringer types, including a silent vibrate mode
- Access to 1000 system and 100 personal speed dial numbers



KX-TD7690

- Premium Wireless Handset
- Only 2.57 Ounces
- Up to 12 CO or Feature
 Soft Keys can be Programmed
- Speakerphone
- Auto Answer
- 2.5mm Headset Jack
- 5-Line Backlit LCD Display




KX-TD7680

- Wireless Handset
- 5.3 Ounces
- Up to 12 CO or Feature Keys can be Programmed
- Speakerphone
- Auto Answer
- 2.5mm Headset Jack
- 3-Line Backlit LCD Display
 - 1- Requires subscription to fee-based telephone company service.

Features That Mean Business

The Panasonic Digital Proprietary Telephone comes in four stylish variations. With features such as an easy-to-read large LCD and four tilt positions, it not only looks good but makes

life simple for users too. The KX-TDA system also makes it easy to accommodate other telephones, fax machines or modems with a unique extension number.



Easy To Use. Hard To Choose.

The KX-TDA50 system is available with a full range of digital proprietary telephones and a DSS console. If 24 keys are not enough, a simple 12-key add-on module (KX-T7603) will provide the answer. It's suitable for the KX-T7636 and the KX-T7633. If you are

looking for an even larger DSS console, the 60-key KX-T7640 is also available. All proprietary telephones in the range (including DSS console, 12-key add-on module and USB port options) are available in charcoal/black or white.

Models					Constitution of the last of th	
Features	KX-T7636	KX-T7633	KX-T7630	KX-T7625	KX-T7640	KX-T7603
LCD	6-Line	3-Line	3-Line	No	No	No
Line Keys	24	24	24	24	60	12
Speakerphone	Yes	Yes	Yes	Yes	No	No
Headset Jack (2.5mm)	Yes	Yes	Yes	Yes	No	No
Backlit LCD	Yes	Yes	No	No	No	No
XDP	Yes	Yes	Yes	Yes	No	No
USB Interface	Option	Option	No	No	No	No
12 Key Add-On Module	Option	Option	No	No	No	Yes
Navigator Key	Yes	Yes	Yes	Yes	No	No
Dual Color LEDs	Yes	Yes	Yes	Yes	Yes	Yes
Colors: White and Charcoal/Black	Yes	Yes	Yes	Yes	Yes	Yes

Panasonic has a range of headsets to help decrease discomfort and fatigue, for use with these telephones. If you already have a Panasonic KX-TA or KX-TD telephone system, the KX-TDA50 will work with your existing telephones – making it an even less expensive solution to upgrading your communications system.

Creating a User Friendly Working Environment

Alphanumeric/LCD Display

By providing visual feedback, the user-friendly display makes it easy to handle calls and perform other tasks. You can use the display to view a variety of information or access the Digital Hybrid IP PBX system's many features. And, you can also make calls by following the visual prompts shown on the display.

The KX-T7636 proprietary phone features a 6-line, 24-character per line backlit LCD. This display allows you to list your personal call log, alphabetical phone list or table of speed dial numbers up on the screen and dial directly from it using one of the soft keys next to the display. You can even program system features via the user friendly LCD prompts.

Digital Extra Device Port (DXDP)

DXDP provides a cost-effective solution for adding a second telephone without running a second telephone line. You can connect KX-T7600 series telephones, analog telephones, cordless telephones or any other single line device.

In addition, DXDP can be programmed with the same or a different extension number. Both telephones can operate at the same time allowing you to send a fax or an email while you are on the telephone.

Flexible CO Line Buttons

The Central Office line buttons of each telephone in the system can be individually programmed to suit the specific needs of each of your employees. You can program CO line buttons for Direct Station Selection (DSS), Busy Lamp Field (BLF), automatic dialing or one-touch access to the feature used most often. But, the most important thing to remember is that each telephone can be custom tailored to each individual employee's needs to help achieve maximum efficiency.

Navigation Key

Panasonic 7600 Series display phones feature a navigator key for easy access and operation of both system and personal speed dial lists, as well as, speaker and handset volume controls.

Hands-Free Speakerphone

All of the KX-T7600 series telephones are equipped with a duplex speakerphone providing convenient, hands-free operation for making and receiving CO and intercom calls. When Auto Answer is on, intercom calls are automatically answered, allowing you to reply to the caller without touching the telephone.

Adiustable

Offers a built-in, 4-stage angle adjustment for more flexibility of location and use.



DXDP allows you to connect up to two KX-T7600 Digital Telephones to the same system port, each can be assigned a different telephone number and operate independently at the same time.

System Features

SD Card

Flexibility is the key with any telephone system. The system software and local database information are stored perma-



nently on the removable Panasonic SD card. If for some reason the system suffers a catastrophic failure, you can be assured that all the important information on your system can be easily loaded back into the system from the SD card. In addition, the SD card makes it a simple task to upgrade the system with new features.

Programming and Maintenance

Panasonic TDA Certified Technicians have multiple password protected access points to program the system and perform maintenance. The system is equipped with a built-in RS232 and a USB port for onsite access and PC Programming. It can also be set up so it can be accessed remotely via an optional dial-up modem or through the Internet.



System Calling Features

Automatic Callback Busy (Camp On)

When making an intercom or CO call and the line is busy, you can execute a callback. When the busy line becomes free, the system will automatically alert the user that the busy extension has become free. Once that line is picked up, the system will automatically redial the line that was initially busy. This is a great convenience for those who wish to continue other projects instead of waiting around for a call to go through.

System Speed Dialing

The KX-TDA50 provides up to 1000 system speed dial numbers (32 digits long for each) for all extension users. Both the user and the system administrator can program system speed dial numbers and names.

Additionally, some models in the KX-T7600 series, such as the KX-T7636 and the KX-T7633 telephones, allow you to scroll through the speed dial list, and simply hit the speakerphone key to dial the number. This feature can be used for both system and personal phone numbers.

Conferencing

The KX-TDA50 system allows the user to have multiple conference calls from 3-party up to 8-party calls at the same time. This feature can prove to be quite beneficial for those who do a lot of conference calling within the same company.

Account Codes

Account codes can help manage your telephone expenses by identifying incoming and outgoing external calls for accounting and billing purposes. The system can be programmed to force the use of an account code or not. The account code is appended to the Station Message Detail Recording (SMDR), which is very useful for billing back clients, or to simply keep a record of the time spent on the telephone for a specific project.

Direct Inward System Access (DISA)

The KX-TDA50 allows an outside caller to access specific system features without operator assistance, as if the caller was using an extension in the system. The outside caller can have direct access to the following features: single-digit access to extensions, outside party calling, intercom calling to an extension, modem (for remote system administration), external paging (for TAFAS) and extension group. Additionally, callers can be required to dial a security code to access extensions or the system's outside lines.

With the optional KX-TDA5191 2-Channel Message Card, DISA also offers a built-in Auto Attendant. With the Auto Attendant you can record a preprogrammed message for incoming calls. This message would direct callers to press a certain number for the extension they wish to reach. By doing so, the Auto Attendant can route callers to their desired location through answering a few preprogrammed questions. This will save time for both the caller and those who would otherwise have to direct call traffic.

Call Forwarding

There are four types of call forwarding – all calls, busy, no answer and busy/no answer. With these four options your calls can be forwarded whenever and however you like. And, all four options can be established by dialing a code or programming a feature key to forward your calls to a specific destination. You can also forward group calls as well as, internal and external calls that can be forwarded to an internal extension or an external telephone number. Each call can be forwarded up to four times.

Incoming intercom and transferred calls to your extension can easily be forwarded to you outside the office. You can now forward your calls to your cell phone, another location, or even your home. Calls can reach you almost anywhere in the world, 24 hours a day, 7 days a week. Another great feature is "follow-me" programming, which allows you to remotely set Call Forwarding from another phone within your organization, so calls to your extension will reach you while you roam.

Caller ID/Call Logging

Caller ID displays the incoming caller's phone number, or name and number (if provided by the local phone company), when used with a Panasonic system display phone. Calls that are answered or not answered that are directed to a group or an individual extension can be logged, and the total calls that can be logged are assignable through system programming on a per extension basis. Logged calls can be called back by going off-hook while viewing the display and pushing the redial key. There are also up to 1000 programmable entries of name and number for Caller ID service that can be administered by either the user or the system programmer.



Caller ID information can be modified. Generally, when a call comes up on the Caller ID screen, it is listed with the area code. However, when you want to redial that number you may not need to dial the area code and therefore would want to strip off the area code from the Caller ID log. You can program personal bins for the logged information of each caller and then set preferences for how you would like to call that person back. For example, someone may always call you from their cell phone, but prefer that you return their call on their home phone. When the Caller ID information is logged for that person you can direct it to dial their home phone number every time it identifies their cell phone number.

Voice Mail Integration

The final step in designing your system to handle calls is voice processing. Panasonic has numerous voice processing models to choose from, each containing a built-in auto attendant, interview service and voice mail. The KX-TDA50 features built-in software that digitally integrates with Panasonic voice processing systems, providing a high-speed communication path between the PBX system and the voice processing system. This digital interface provides a variety of innovative voice mail features such as:

- Live Call Screening
- Remote Live Call Screening
- Two-Way Record
- Two-Way Transfer
- Intercom Paging
- Direct Mailbox Access
- Auto Configuration
- Caller ID Routing
- Caller ID Name Announce
- Caller ID Personal Greeting

Voice Over IP

Telephone voice calls can be routed over your local (LAN) or wide (WAN) area network that would otherwise just be used for data, thereby reducing traffic on telephone lines and reducing the overall cost when connecting systems and locations together. The cost savings come from achieving greater use of your fixed cost infrastructure and less use of variable cost telephone lines.

To insure you are leveraging all of the advantages and cost benefits of your network the system software can automatically route calls to their destination using the least expensive path.



Calls can be directed to a specific individual,



a group,



a live attendant, an auto attendant, voice mail or any combination.

KX-TDA50 System Specifications

Switching	Non Blocking Distributed TSW		
Power Voltage	AC 100V ~ 240V AC Adapter		
Memory Back-Up Duration	7 Years		
Dialing			
CO Trunk	DP (10pps, 20pps), DTMF		
Extension	DP (10pps, 20pps), DTMF		
Connectors			
CO Line	RJ11 (2 wire) x each CO Port		
Station	RJ11 (4 wire) x each Extension Port		
Paging Output	1 Jack		
Ring Frequency	20/25 Hz (Selectable)		
Central Office Loop Limit	1600 ohms max.		
Operating Environment			
Temperature	0° - 40°C, 32° - 104°F		
Humidity	10% - 90%		
Conference Call Trunk	3-Party x 10 Conference Calls		
	8-Party x 4 Conference Calls		
Music On Hold (MOH)	1 Port Selectable Tone/External Music Source (Level control: -6dB ~ + 6dB per 3dB)		
Internal Paging	Level control: -6dB ~ + 3dB per 3dB		
External Paging	1 Port (Level control: -15dB ~ + 6dB per 3dB)		
Interface Port	USB: 1 Port RS232C: 1 Port		
Dimensions (H x W x D)	14.8" × 10.8" × 4.6" (275 × 376 × 117 mm)		
Weight (when fully configured)	7.7 Lbs. (3.5 kg)		

KX-TDA50 Maximum Capacities

Trunk Ports	8
Extension Ports	28
Single Line Telephones	24
Digital Proprietary Telephones KX-T7600, 7400, 7200 Series	24
Analog Proprietary Telephones and DSS Console KX-T7700 and 7000 Series	24
Cell Station (KX-T0141)	8
Voice Processing System	4 Ports (1 system)
Wireless Telephones (KX-TD7680 and KX-TD7690)	28
Doorphones	4

KX-TDA50 Digital Hybrid IP-PBX System Feature List

System Features
Absent Message Capability
Account Code Entry
Automated Attendant (with DISA OGM)
Automatic CO Hunting
B.G.M. (Background Music) Jack
Call Forwarding
Call Hunting (Terminal or Circular)
Call Log
Call Parking
Call Park Retrieve
Call Pick-Up
Call Transfer/Transfer Recall
Call Waiting
Caller ID ¹ , to SLT
Caller ID1, Call Logging
Caller ID1, Callback
Caller ID1, Call Waiting
Caller ID ¹ , Date and Time Adjust
Caller ID1 (Name and/or Number DPT, APT, SLT)
Class of Service 64
CO Limited Duration Timer
CO Line Names
CO Line Status (Two Color LED)
Conference Calling (8-Party)
Data Line Security (for Fax or Modem)
Data and Time Display
Delayed Ringing
Digital Extra Device Port DXDP
D.I.S.A. (Direct Inward System Access)
D.I.S.A. Single Digit Access
Distinctive Ring Tone (CO, Intercom)
Distinctive Ring Tone (Door Phones)
D.N.D. (Do Not Disturb)
Do Not Disturb Override
Door Intercoms/Door Opener Contacts 4/4 DSS/BLF Consoles
Dual Port Usage (Parallel SLT Station) Duration Time of Call Display
Electronic Station Lock
Emergency Call Number Programming
Extension Name on Display when Idle
Exclusive Hold
Executive Override
Executive Override Deny
External Modem Support
External Paging Ports
Fax Transfer
Flexible CO Keys (DSS/BLF, One-Touch Dial)
Flexible DSS Keys (One-Touch, Feature Access)
Flexible Key Assignments
Flexible Line Assignment
Flexible Night Service/Programmable/Manual)
Flexible Ring Assignment (Day/Night)
Flexible Ring Assignment (Lunch)
Flexible Station Numbering
Hands-Free Answer Back Intercom
Handset/Headset-Display Phones
Hold

System Features
Hold Recall/Hold Reminder
ndustry Standard Telephone Capability
nternal Paging (All Call Paging)
nternal Paging (Zone Paging)
_ast Number Redial
imited Call Duration
Live Call Screening (DPITS Only)
Live Call Screening, Remote (DPITS Only)
Login/Logout (Hunt, Ring, UCD)
Login/Logout
_unch/Break Mode
Memory Back-Up
Message Waiting - Proprietary Phones
Military Time Display
M.O.H. (Music On Hold)
Multi-Cell Wireless
Multi-Lingual Displays (5)
Multiple Voice Mail Lamps
Off-Hook Tone Signaling
Off-Hook Monitoring **
Off-Hook Call Announce (OHCA)*
On-Site Programming Diagnostics
Operator Call
Power Failure Transfer
Pre-Selection (Central Office or Intercom)
Remote Programming and Diagnostics Modem
Remote Station Lock Control
Ring Groups
Ringing Line Preference
Saved Number Redial
Secret Dialing
Seven Day ARS Time Tables
S.M.D.R. (Station Message Detail Recording)
Station Name Display
Station-to-Station Messaging
Station Speed Dial
System Speed Dial Numbers
Γ.A.F.A.S. (Trunk Answer From Any Station)
CSTA TAPI Ver. 2.1 Compliant
Timed Reminder
Fimed Reminder, Remote
Toll Restriction
Toll Restriction Override
Tone/Pulse Conversation
Tone/Pulse Dialing (By CO Line)
Transfer (Screened/Unscreened)
Trunk Groups
Two-Way Record (DPITS)
Two-Way Transfer (DPITS)
Jnattended Conference Call
Jniform Call Distribution without OGM
Jniform Call Distribution with OGM
Voice Mail Integration (Inband)
Voice Mail Integration (DPITS)
Voice Mail Unit Capacity 1
VOIP (Optional IP Gateway Card)
Walking Class of Service

¹⁻Requires subscription to fee-based telephone company service.

* Available on KX-T7636, 7633, 7630, 7625, 7436 and 7235

** Available on KX-T7431, 7433, 7436, 7636, 7633, and 7625



Certification Program

The KX-TDA50 and associated equipment are Panasonic Consumer Electronics Company Certified Dealer models. Please consult your dealer/installer to determine if they have successfully completed the Panasonic certification program.