

Contents



Introduction	1
Unpacking the phone	2
Handset	3
Base	4
Installation	5
Choosing the best location	5
Connecting the telephone	5
Attaching the stand in the desk mount position	6
Attaching the stand in the wall mount position	7
Charging the handset battery	8
Quick charge	9
Battery level indicator	9
Battery saver mode	9
Changing the battery	10
Range of operation	10
Making basic calls	11
Using the handset	11
Putting a call on hold	11
Using display keys to access features	11
Using the speakerphone	12
Calling on the speakerphone	12
Muting the speakerphone	12
Transferring calls	12
Making a group call	12
Personalizing your telephone	13
Improving call reception	13
Changing the security code	13
Alternate language	13
Handset ringer volume	14
Handset receiver volume	14
Base volume	14
Setting the area code	14



Using the Callers List	15
Setting up the Callers List	16
Viewing the Callers List	16
Dialing from the Callers List	17
Copying a number to the Directory	17
Deleting items in the Callers List	17
Using advanced features	18
Other dialing methods	18
Redial List	18
Using the Call Timer	18
Making an intercom call	19
Call Waiting and 3 Way Calling	19
Using the Directory	20
Dialing in the Directory	20
Viewing the Directory	20
Saving numbers	21
Entering names	21
Editing the Directory	22
Display prompts and indicators	23
Display prompts	23
Handset lights	25
Base lights	25
Helpful hints	26
Regulatory information	28
Warranty information	32
Index	

Introduction

Congratulations on your purchase of a Mæstro 4625 cordless telephone.

Walking and talking with cordless technology

With the Mæstro 4625 you are no longer tied to your phone. You can move from room to room, or even outside while on a call. Now you're mobile!

Secure to roam your home

Mæstro 4625 provides 1 million different security codes so that only your handset will work with your base.

Access to Advanced Features

In addition, Mæstro 4625 provides you with advanced features to save you time, and provide you with information. Some of these features are:

Name and number directory

stores up to 30 personal numbers for easy dialing.

Number and name display shows you the number you're dialing. With Caller ID service (available from your telephone company), you see the incoming caller's name and number before you answer the call.

Caller's list works with Caller ID service to keep track of everyone who called (up to 30 entries), and allows you to easily return their call.

Intercom allows you to call the base from outside a room, or ring the handset so that you can find it.

Redial key remembers the last 3 numbers you dialed.

Backlit display and lighted dial pad lets you know who's calling even in the dark.

Any key answer makes answering calls quick and easy.

25 Channel Autoscan allows you to achieve optimum clarity.

Talk/Mute lets you have handsfree conversations.

By the way...

Cordless telephones transmit conversations using radio waves, so there is a possibility that your conversations will be overheard by others. They should not be treated as totally confidential.

The base must be located where the signals will not be blocked by large metal objects (metal fencing, large appliances, etc), or interfered with by electronic devices (microwave ovens, computers, stereos, etc).

Your handset is powered by rechargeable batteries, which must be charged and maintained as described in the Installation chapter.


This guide covers

- a tour of your telephone
- installation and setup
- using your Mæstro 4625


Unpacking the phone

Check to see that the following parts are included in the box. Keep the box for future use.

If any part is missing, contact the location where you obtained the phone.



Stand



Base



Number card and lens
(factory-installed)




Battery pack
(factory-installed)




Line cord



Handset




Power adaptor



Quick Reference Card

Handset



Base

The Base light lets you know the handset is in use, there is an incoming call, or someone is on hold (page 25).


The Charge light lets you know that the handset is seated properly on the base (page 25).

Handset hanger tab (page 7).

Redial lets you call back the last number you dialed on the base (page 18).

Message light shows you that you have a message waiting for you at your telephone company's Voice Messaging service (page 26).

Callers light lets you know that you have new callers in the Callers List (page 26).



Hold lets you hold a call (page 11).

Flash gives you access to certain other subscribed telephone services (page 19).

End lets you hang up a call (page 11).

Intercom light (page 26).

Intercom lets you make or answer an intercom call. The light turns on at the same time (page 19).

Talk/Mute light (page 26).

Volume control, under the right edge, changes the volume for the speaker (page 14).

Talk/Mute lets you make or answer a call, or retrieve a call that is on hold. It also lets you turn the base microphone off (page 12).

Installation

Choosing the best location


For best results:

- the base should be the only item plugged into the wall outlet
- the antenna should be fully extended
- the base should be centrally located, away from electrical equipment such as computers, refrigerators, fluorescent lights, stereos, etc.
- locate the base on an upper floor
- the handset should be kept as close to normal room temperature as possible

Connecting the telephone

Caution: For eye safety, do not extend the antenna until installation is complete.


1. Plug the AC adaptor into a 120 V AC outlet and insert the small plug into the DC 12 V jack  on the back of the base (see page 31).



Note: The AC outlet should not be controlled by a switch or connected to a power bar.


2. Plug one end of the telephone cord into a telephone wall jack and the other end into the jack  on the back of the base.

3. To keep the cords from being pulled out, route the cords in the channel under the base.




Attaching the stand in the desk mount position


1. Fold the cords back as shown.




2. Lower the stand into the slots on the base, as shown below.



3. Slide the stand into the locked position.



4. Continue routing the cords in the channels on the stand.




5. Place the phone on a desk.

6. Pull the base antenna vertical and extend it all the way up.


7. Plug the AC adaptor into a 120 V AC outlet, which is not controlled by a switch or power bar.

Attaching the stand in the wall mount position*


1. Bring the line cord through the opening in the stand, then lower the stand into the slots on the base.




2. Slide the stand into the locked position, as shown below.



3. Plug the line cord into the wall jack. Line up the screws on the wall mount plate with the openings in the stand and slide the phone down until the mounting screws hold firmly.



4. Continue routing the cords in the channels on the stand.
5. Remove the tab from the base and reinsert it with the point up. **Make sure the tab is in all the way.** Hang the handset on the tab. If the charge light does not light up, and the handset is switched on, the tab has not been locked into position.




6. Pull the base antenna vertical and extend it all the way up.

* We recommend that you use a wall mounting plate (available at your phone retailer). If wall mounting without a plate, use the stand as a template for positioning screws in the wall.

Charging the handset battery

When you first plug in your phone, you will need to **charge the battery for at least 5 hours** before you can use the handset. This is best done by charging overnight.



1. Leave the phone on the base as shown, with the charge light on and the **handset power switch off**.

Note: The handset power switch is on the bottom of the handset.

2. After the battery is charged, **turn the handset power on**. The display will show:

NORTEL
Maestro
ENG ESPAÑOL

3. Select the language you want on the display by pressing the key under **ENG** for English or the key under **ESPAÑOL** for Spanish.

Once you've selected your preferred language, the display will show:

Ready for
use...
NEXT

This idle display message will appear from now on unless other messages take priority, you're using the handset, or the handset is sleeping (see Battery saver mode page 9). You can press the key under **NEXT** to view other display messages.

Now you're ready to use the handset!

If the handset is not working or the display keeps showing **Sorry! Try again**, reset the handset. To do this, follow the procedure for changing the security code (page 13).

Note: The next time you charge the handset, simply put it on the base. It is not necessary to turn the power OFF after the first charging session (see page 9).

Note: The handset should be stored off the base. **The battery will last longer if you allow it to run down completely between charges.** (Leave it off the base until the **Battery Low** prompt appears on the display.)

Quick charge

The Mæstro 4625 comes with a reduced charge time feature called “Quick charge”. Simply place the handset on the base (no need to turn the handset switch off). The Mæstro 4625 is able to determine how long the handset battery needs to recharge. When the handset is in the base and Quick charge is activated, the display message **battery charging...** will be displayed.

A completely empty battery will only take 4-5 hours to fully recharge. The handset may be left on the base even after Quick charge is finished. A “trickle” charge will keep the battery fully charged. During trickle charge you may view the Battery level indicator by pressing the **NEXT** display key.

We recommend that you keep the handset as close to normal room temperature as possible. In cases of extreme heat or cold (outside in the heat or cold), the Battery level indicator may not display accurately. To ensure a fully charged battery, charge the handset for at least 5 hours. Battery life may be affected by continued exposure to extreme heat or cold.

Note: Its recommended that you only charge the battery once the **Battery low** message is displayed.

Battery level indicator

You may check the battery level of your handset by pressing the **NEXT** display key when at the idle display. You may check this indicator when the handset is in or out of the base.

Battery
[■ ■ ■] - Battery is fully charged
NEXT

Battery
[■ ■ -] - Battery is 2/3 charged
NEXT

Battery
[■ - -] - Battery is 1/3 charged
NEXT


Battery saver mode

The handset saves battery power by going into battery saver mode 45 seconds after the last key press. In this mode, the display “sleeps” (goes blank), but the handset still receives calls. When you use the handset again the display automatically “wakes up” (shows information). If it doesn’t, make sure the handset power switch is on.


Changing the battery

If you've charged the battery and the display still says **Battery low** or the handset will not wake up, it's time to replace the battery. New batteries are available from your phone retailer. Use either the GES-PCH01 or the 3N-270AA Sanyo battery.

1. Move the handset power switch to OFF.
2. Slide the cover off the battery compartment.



3. To remove a dead battery, pull firmly on the battery cords.
4. To install the new battery, insert the battery plug, making sure the black wire is on the left.



5. Slide the battery into the compartment.
6. Replace the cover of the battery compartment.
7. Charge the new battery, as described on page 8.

Range of operation

The actual operating range of your Mæstro 4625 can vary with the construction of your home, interference from household appliances, weather conditions, and other factors.

For best results:

- the base should be the only item plugged into the wall outlet
- the antenna should be fully extended
- the base should be centrally located, away from electrical equipment such as computers, refrigerators, fluorescent lights, stereos, etc.
- locate the base on an upper floor
- the handset should be kept as close as possible to room temperature

Making basic calls

Using the handset

When you receive a call, the display shows caller information.

Note: You must subscribe to Caller ID service from your local telephone company.

The handset power switch must be ON in order to receive or make calls.

To answer a call

When you hear the phone ring and see the multipurpose light flash:

1. Press **Talk** or any key on the dial pad. The **▶**, **◀**, and **MORE** display key will not answer a call.
2. Press **End** to hang up or put the handset on the base.

Note: The message **Long distance** will alternate on the display with the callers incoming name. Press the **MORE** display key to view the long distance number.

To dial a number

1. Press **Talk**.
2. Dial the number.
3. Press **End** to hang up or put the handset on the base.

Putting a call on hold

The hold feature keeps your caller on the line so you can talk privately to someone in the room. If you forget that someone is on hold, the Mæstro 4625 releases the line after five minutes.

To put a call on hold

1. Make or answer a call.
2. Press **Hold**.
3. To take the call off hold, press **Talk**.

Using display keys to access features

Display keys are the two keys below the display on the handset.



The function of these keys is written above them in the display, and will depend on what feature you are using.

When a command (such as **DIAL** or **CHANGE**) appears on the display, press the display key below to activate that command.

Using the speakerphone

Calling on the speakerphone

You can dial and answer calls from the base.

To answer a call

1. Press **Talk/Mute**.
2. Press **End** to hang up.

To dial a number

1. Press **Talk/Mute**.
2. Dial the number using the dial pad or press **Redial**.
3. Press **End** to hang up.

Muting the speakerphone

The **Talk/Mute** key stops callers from hearing background noise or room conversation. You can hear the caller but they cannot hear you.

To mute a call

1. While on a call press **Talk/Mute**. The light will flash.
2. When you want the caller to hear you, press **Talk/Mute** again.

Note: You cannot mute a call on the handset.

Transferring calls

You can transfer a call between the base and the handset. So, if you originally answered the call on the base, you can transfer it to the handset and later back to the base again.

To transfer a call

1. Make or answer a call on the handset or the base.
2. Press **Hold**.
3. Go to to the other device (base or handset) and press **Talk** or **Talk/Mute**.

Making a group call

You can have a conversation between an incoming caller, someone on the handset, and someone on the base.

To make a group a call

1. Make or answer a call on the handset or the base.
2. From the other device (base or handset) press **Talk** or **Talk/Mute**.
3. When the call is complete, press **End** on both the base and handset.

Note: You may hang up either device at any time.

Personalizing your telephone

Improving call reception

The handset communicates with the base using one of a combination of 25-channels. Your Mæstro 4625 automatically scans for a clear channel each time you use the handset.

If you hear interference, static, or the message **Sorry! Try again**, press **Scan** and the Mæstro 4625 will automatically find a new clear channel. The **Scan** key is on the left side of the handset.

Changing the security code

The security code ensures that someone else with a cordless handset cannot use your telephone line. There are 1 million different codes, of 6 digits in length.

Note: When the message **Sorry! Try again** won't disappear, try recharging the battery.

To change the security code

1. Place the handset on the base.
2. On the base, press and hold **Intercom** while also pressing **Intcm** on the handset. Hold both keys for 5 seconds.
3. When the display shows **Security Code**, press the **CHANGE** display key.
4. Enter the new security code (6 digits).
5. Press the **DONE** display key once the new code has been entered.

Alternate language

You can choose between English and Spanish for the handset display. English is the factory setting.

To change to Spanish

1. Turn **OFF** the power switch on the handset.
2. After a few seconds, turn the power switch back **ON**.
3. Press the **ESPAÑOL** display key.

Handset ringer volume

You can choose from three volume settings for the handset ringer: **OFF**, **Low**, and **High** (the factory setting).

To change the ringer volume

1. If the Handset Ring prompt is not on the display, press the **NEXT** display key until the prompt appears.
2. Press the **CHNGE** display key. Each time you press it, you hear the next ring setting.
3. Press **End**.

Handset receiver volume

The sliding volume control on the left side of the handset adjusts the volume level for what you hear on the handset. There are three settings: low volume **🔊**, medium (middle position), and high volume **🔊🔊**.

Base volume

The sliding volume control under the right edge of the base sets the volume level for the base ringer and the base speaker. It can be set anywhere between Off, low volume **🔊**, and high volume **🔊🔊**.

Setting the area code

You can enter one area code so that incoming local calls appear in the Callers List without it. This lets you

dial local numbers directly from the Callers List without having to remove the area code first.

To add or change the area code

1. Press **Callers**.
2. Press the **CODE** display key.
3. Press the **ADD** or **CHNGE** display key (whichever appears on the display).
4. You can use **◀** or **▶** to move to a specific digit.
5. Press **Delete** to remove any existing digits.
OR
Enter the three-digit number using the dial pad.
6. Press the **DONE** display key.

To delete your area code

1. Press **Callers**.
2. Press **CODE**.
3. Press **Delete**.
4. If you want to delete the item, confirm it by pressing the **OK** display key or press **Delete** again. If you don't want to delete the item, press **Callers** or **End**.

Using the Callers List

Times are changing. There are more things to do that take you out of your home. You probably receive a lot of calls when you go out. When you get home, just scroll through your list of callers to see who called. You can find and respond to the important calls quickly (see page 16).

If you want to call one of the numbers as it appears on your display, you can save time just by pressing **Talk** or pressing the key under **DIAL** on the display (see page 17). A  will appear on the Time and Date screen for all entries you have called from the Callers List. You'll know at a glance which calls you've returned.

To save time looking up a number in the future, you can permanently save numbers from the Callers List into your Directory (page 17). Once a number is in the Directory, it's simple to retrieve it!

Note: You must subscribe to Caller ID service in order for the calls to register with the Callers List.

The Callers List holds up to 30 calls and is accessed using the handset.

Callers List information is sorted from oldest to newest. When the list is full, the oldest items are deleted to make room for the new callers.

When new calls come in, the Callers light on the base flashes and the handset multipurpose light flashes.

When you enter the Callers List, the display may show the following:

- **XX New Callers**
- **XX Callers bumped**
- **Callers = XX items**

Note: For an example and explanation of what might appear on your display, see page 23.

You can set up your Callers List to log all calls, no calls, or only those calls which you do not answer (see page 16).

To exit the Callers List at any time, press **End** or **Callers**.

If you are not sure what to do when you get into the Callers List, press **HELP** for some hints.

Setting up the Callers List

You may set up the Callers List to:

1. Log all calls
(Call Log=All)
2. Log only those calls you didn't answer
(Call Log=Unanswered)
3. Log no calls
(Call Log=None)

Setting up the Callers List


1. Press **Callers**.
2. Press LOG.
3. Press CHNGE until the second line of the display shows the set up you want:
all , none, or unanswered.
3. Press **End**.

Viewing the Callers List

To view the Callers List

1. To see the Callers List heading, press **Callers**.
2. Use the ▲ and ▼ keys to move between callers.
3. Use the ◀ and ▶ keys to move between name, number, and time and date information.
4. To leave the Callers List at any time, press **Callers** or **End**.

The illustration below shows how the arrow keys move you up and down between callers, and left and right between name, number, and time and date screens.



Dialing from the Callers List

You can return a call when it is displayed in the Callers List. A  will appear on the Time and Date screen for all entries you've called from the Callers List.

To dial from the Callers List

1. Press **Callers**.
2. Use the  and  keys to find the caller.
3. Press the **DIAL** display key or **Talk**.

Sometimes you must edit a number before it can be dialed (for example, you may have to add "1" to dial long distance). Changes are not saved in the Callers List. You may only edit numbers in the Callers List.

To edit before dialing

1. Press **Callers**.
2. Use the  and  keys to find the caller. Press  or  to view the number.
3. Press the **EDIT** display key.
4. To erase digits, press **Delete**. To add digits, use the dial pad. To move sideways, press the  and  keys.
5. Press the **DONE** display key. You see the updated number.
6. Press the **DIAL** display key or **Talk**.

Copying a number to the Directory

To copy a number to the Directory

1. Press **Callers**.
2. Use the  and  keys to find the caller.
3. If the number requires editing, make the required changes.
4. Press the **DONE** display key.
5. Press **Save**.
6. If there is no name for the number, you may enter a name. See "Saving numbers" on page 20 or press the **NO** display key.
7. Press the **DONE** display key.

Deleting items in the Callers List

To delete in the Callers List

1. Press **Callers**.
2. If you want to delete everything in the list, go to step 3. If you want to delete just one item, use the  and  keys to find the caller.
3. Press **Delete**.
4. Confirm by pressing the **OK** display key or by pressing **Delete** again. If you've changed your mind, press **Callers** or **End**.

Using advanced features

Other dialing methods

Predial lets you view the number first, before you dial it. It helps prevent dialing errors.

To predial a number

1. Enter the number using the dial pad.
2. If required, use **▶** or **◀** to move to a specific digit. Use **Delete** to erase digits.
3. Press the **DIAL** display key or **Talk**.

If you want to redial someone you last spoke with on the handset, you can use the Redial key.

Redial List

The Redial List lets you view the last 3 outgoing numbers. The last number dialed will automatically move to the 1st position in the list.

To redial a number

1. Press **Redial**.
2. Press **▲**, **▼** or the **MORE** display key to move to the number you wish to dial.
3. Press **Talk** or the **DIAL** display key to dial that number.

Note: To delete a number in the Redial List, press **Redial**, press **Delete**, then press the **OK** display key or press **Delete** again.

Using the Call Timer

When you're on a call, the display shows the channel you're using in the lower left corner. After ten seconds on the call, it then begins to show how much time has passed in minutes and seconds. The timer starts counting as soon as you press **Talk**, **Inter** or the **DIAL** display key. It stops counting when you press **End**, although the elapsed time will be displayed for an additional 5 seconds.

Making an intercom call

The intercom will let you make a call between the base and the handset. You cannot make any other type of call with the intercom feature. It also functions as a handset “beeper”, to help you locate the handset no matter where it may be hiding.

If you are on a regular call, you can make an intercom call to the other component, which automatically puts your call on hold.

To call on the intercom

1. Press **Intercom** on the base or **Intcm** on the handset.

To answer on the intercom

1. When you hear the handset or base ring and you see the Intercom light flashing, press **Intercom** or **Intcm**. On the handset, the display also indicates **Pa9ing You....**

Meanwhile, if a call comes in, just press **Talk**.

Note: If you call the base from the handset, the handset display will read **Pa9ing base**.

Call Waiting and Three Way Calling

If you subscribe to Call Waiting or Three-Way Calling (not available in some areas), read the information from your telephone company for the exact procedures. Whenever it says to press the hook-switch, receiver button or Link, press **Flash** instead. This appears as **L** on the display.

Using the Directory

You can store up to 30 frequently-called names and numbers in the Directory. When someone who is in your Directory calls, that person's name and number appear on the display as you entered it into the Directory.

Note: You must subscribe to Caller ID service, available from your local telephone company.

All Directory items are sorted alphabetically by the first word. If you want your Directory sorted by last name, enter the last name first.

You can enter a name if you want. If you don't enter a name, the item is sorted by number. All number items are sorted numerically at the beginning of the Directory listing.


When you are viewing items in the Directory, the list is circular. This means you can keep moving in one direction and come around to the beginning again.

Dialing in the Directory

Dialing from the Directory

1. Press **Directory**.
2. Use the **▲** and **▼** keys to find the number you wish to dial.
3. Press the **DIAL** display key or **Talk**.

The following illustration shows how the arrow keys move you to different screens in the Directory.



Viewing the Directory

To find items in the Directory

1. To see the Directory list heading, press **Directory**.
2. To go directly to the items that begin with a particular letter, press the dial pad key that matches that letter. (The letters are printed on the dial pad keys.) Then, to see the other listings under that letter, press the **▼** key. (For example: **fi** takes you to the first "J" listing, then the down arrow key takes you to the next "J" listing. **fifi** takes you to the first "K" listing.)
3. Use the **▲** and **▼** keys to move up and down between items.
Use the **◀** and **▶** keys to move left and right between names and numbers.
4. To leave the Directory at any time, press **Directory** or **End**.

Saving numbers

To save a new number

1. Press **Save**.
2. Enter the number using the dial pad. Numbers can have up to 16 digits. If you require a pause (for example, between a telephone number and an access code), press **Hold** where you want the pause.

Note: Each pause is 2 seconds. Enter as many pauses as you need. A P indicates a pause has been entered.

3. Press the **DONE** display key.
4. If you don't want to enter a name press **DONE**.
To enter a name, use the dial pad. (See Rules for entering names, on this page.)
If you make a mistake, use the **Delete**, **◀**, and **▶** keys.
5. To quit and start over, press **End**.
6. Press the **DONE** display key.

To save a number from the display

1. Ensure that a number is on the display. (This could be a predialed, redialed, or Callers List number.)
2. Press **Save**.
3. Follow the instructions on the display.
4. If you entered a name, press the **DONE** display key.

Entering names

Rules for entering names

1. Press the key with the desired letter repeatedly until that letter appears on the display.
The letters are printed on the dial pad keys. Names can have up to 16 characters.
2. Advance to the next letter by pressing the **▶** key or the **SKIP** display key.
3. Use **◀** to move backward to insert or delete letters.
4. Press **Delete** to delete a letter.
5. Press the **▲** or **▼** to change the case for each letter.
6. Press the **SPACE** display key to enter a space between letters.
7. When you have finished, press the **DONE** display key.
Note: You don't always have to press the **▶** key if the next letter is on a different key.

Example:

To enter the name Ruth, press:

⋆⋆⋆, °°, ▶, °, >>.

Chart for special characters

The following symbols are not shown on your dial pad keys.

Symbol	
& ' () , - .	Press/until the desired symbol is displayed.

Editing the Directory

To change a number

1. Press **Directory**.
2. Use the ▲ and ▼ keys to find the number you wish to change.
3. Press ► to view the number.
4. While the number is on the display, press the CHNGE display key. The cursor appears under the first digit.
5. To insert digits, use the dial pad. (The existing digits will move to the right.)

To move the cursor sideways, press the ◀ and ▶ keys. To erase digits, press **Delete**.

6. Press the DONE display key.

To add a name to an existing Directory item

1. Press **Directory**.
2. Use ▲ or ▼ to find desired entry.
3. Press ►.
4. Press the ADD display key.
5. Follow the rules for entering names (page 20).
6. Press the DONE display key once name has been entered.

To change a name

1. Press **Directory**.
2. Use ▲ or ▼ to find the name that you wish to change.
3. While the name is on the display, press the CHNGE display key. The cursor appears under the first character.
4. To move the cursor left, press the ◀ arrow key. To move the cursor right, press the ▶ arrow key. To erase letters, press **Delete**. To insert letters, use the dial pad. To insert a space, press the SPACE display key.
5. Press the DONE display key.

To delete a Directory item

1. Press **Directory**.
2. Find the Directory item that you wish to delete.
3. Press **Delete**.
4. If you want to delete the item, confirm it by pressing the OK display key or by pressing **Delete** again. If you don't want to delete the item, press **Directory** or **End**.

Display prompts and indicators

Display prompts

Your handset display gives you instructions and information. If you want to know what to do about a particular display prompt, look it up in the following table. The prompts are listed in alphabetical order.

For other helpful hints, see page 26.

Prompt	Meaning
Battery Low	WARNING: You must recharge the handset.
Battery [■ ■ ■] NEXT	Indicates battery is fully charged
Battery [■ ■ -] NEXT	Indicates battery is 2/3 full
Battery [■ - -] NEXT	Indicates battery is 1/3 full
Battery charging...	Displayed when Quick charge is active.
Callers= XX items LOG CODE	Callers List information: XX is the number of callers listed. Press LOG to change set up; press CODE to change area code.
Directory is full	You are trying to add an item to the Directory and it is full. Delete an item that you no longer use.
Long distance	Caller information: The incoming call is from outside your local calling area.

Prompt	Meaning
No info available	Caller information: The telephone company is unable to send caller information.
No name	The Directory item has a number but no name. You may leave it as it is or add a name by pressing the ADD display key.
No number to save	You have tried to copy a number to the Directory, but the Callers List item has an unknown or private number. These numbers cannot be saved. See "Private name / number" on page 24
Oct 12 2x 2:54 PM DIAL	Callers List information: This is the time and date display. The caller called twice (2x), the last time was at 2:54 pm. Press the DIAL display key to call.
Out of Range (and the handset beeps)	WARNING: You have 30 seconds to move closer to the base before you lose the call. If you were making changes in the Directory or Callers List when you went out of range, those changes are lost after 30 seconds.
Paging Base	You (on the handset) are calling the base.
Paging You	The base is calling the handset. Press Intcm to answer the call.

Prompt	Meaning
Private name / number	Caller information: The incoming caller has requested that the name (or number) not be shown.
Ready to use... NEXT	Usual idle display prompt.
Redial empty	There are no numbers stored in the Redial key. Either you have deleted the items, have not dialed out, the handset has been recently turned on, or the power has been out. Dial using the dial pad, Callers List, or Directory instead.
Rick Brown DIAL CHNGE	Directory information: This is the name display of someone in the Directory. Press the DIAL display key to call, or press the CHNGE display key to edit.
Ringer is High NEXT CHNGE	This is the volume level (High, Low, or Off) of the handset ringer.

Display prompts © Northern Telecom.

Prompt	Meaning
Sorry! Try again	Make sure you are within range of the base, then repeat the procedure. If the prompt remains, reset the telephone by following the procedure for changing the security code (see page 13).
Unknown number / name	Caller information: The telephone company is unable to provide the number (or name) of this caller.
XX Callers bumped	XX callers were removed from the Callers List to make room for new callers.
XX New Callers	XX new calls have been added to the Callers List since you last checked it. Press Callers to access the list.
555-1440 DIAL EDIT	Callers List information: Press the DIAL display key to call, or press the EDIT display key to edit.
555-1234 DIAL CHNGE	Directory information: This is the number display of someone in the Directory. Press the DIAL display key to call, or press the CHNGE display key to edit.

Handset lights

Multipurpose light (top right corner)

Flash quickly	You have an incoming call.
Flash	You have a call on hold.
Flash slowly	You have new callers.
Flash periodically	If the handset is on battery saver mode, you have new callers.

Intercom light

Flash quickly	You are sending or receiving an intercom call.
---------------	--

Helpful hints

Base lights

Base light

Flash quickly	You have an incoming call.
Flash	You have a call on hold.
Solid	The handset is busy.

Charge light

Solid	The handset battery is charging.
-------	----------------------------------

Callers light

Flash slowly	You have a new caller in your Callers List.
--------------	---

Intercom light

Flash quickly	The base is calling the handset or the handset is calling the base.
Solid	You are on an intercom call.

Message light

Flash slowly	You have new messages.
--------------	------------------------

Talk/Mute light

Flash quickly	You have an incoming call.
Solid	You are on a handsfree call.
Flash	Mute is activated

Locating the base.

For the best performance, locate the base centrally in your house, preferably in an open area, away from refrigerators, fluorescent lights, TV's, etc. In addition, the base should be plugged directly into a wall outlet that is not controlled by a switch. Do not use a power bar. Do not use a telephone line cord extension cord. Keep the handset in a location where it will be as close to standard room temperature as possible.

The phone doesn't work.

Make sure the battery is installed properly in the handset. Make sure the battery is charged. Test the AC outlet; make sure it isn't a switched outlet. Make sure the base is the only item plugged into the power outlet. Do not use a power bar. Reset the phone by changing the security code (see page 13).

You cannot get a call through.

You must subscribe to tone service from your local telephone company.

Regulatory information

Language, ringer volume, and area code have changed back to the defaults.

The base has been without power for more than three days. Follow the procedures in the Personalizing your telephone section.

You can't call on an extension phone.

Make sure that you haven't left the line on hold at the cordless phone. To release the line, press **Talk** and then **End**.

The handset beeps.

Look at the display and do what is indicated.

What is a display key?

There are two keys below the display. When a command (such as **DIAL** or **CHNGE**) appears on the bottom line of the display, press the key below it to activate the command.

Radio/TV interference

Telephones equipped with electronic push-key dials generate and use radio frequency energy, and if not installed and used properly and in strict accordance with the manufacturer's instructions, may cause interference to radio and television reception.

These telephones have been tested and found to comply with the limits for a Class B digital device in accordance with the specifications in Part 15 of the FCC rules. While these rules are designed to provide reasonable protection, there is no guarantee that interference will not occur in a particular installation. You can determine whether interference occurs by monitoring your radio or television reception while placing a call.

If your telephone causes interference, one of the following measures may correct the problem:

- Re-orient or relocate the receiving TV or radio antenna, where this may be done safely.
- To the extent possible, move the telephone and the radio or television farther away from each other, or connect the telephone and the radio or television to outlets on separate circuits.
- Consult the dealer or an experienced radio/television technician for additional suggestions.

Note: FCC registration does not constitute an expressed or implied guarantee of performance.

Rights of the telephone company

If your telephone causes harm to the telephone network, the telephone company may stop your service temporarily or ask you to remove your equipment until the problem is resolved. If possible, they will notify you in advance. If advance notice is not practical, you will be notified as soon as possible and be given the opportunity to correct the situation. You will also be informed of your right to file a complaint with the FCC.

Your telephone company may make changes in its facilities, equipment, operations or procedures that could affect the proper function of your telephone. If they do, you will be notified in advance to give you an opportunity to maintain uninterrupted telephone service.

Federal Communications Commission (FCC) notice

FCC registration number

This telephone equipment complies with Part 68, Rules and Regulations, of the FCC for direct connection to the Public Switched Telephone Network. (The FCC registration number appears on a sticker affixed to the bottom of the telephone.)

Your connection to the telephone line must comply with these FCC rules:

- Use only an FCC standard RJ11W/RJ14W or RJ11C/RJ14C network interface jack and FCC-compliant line cord and plug to connect this telephone to the telephone line. (To connect the telephone, press the small plastic tab on the plug at the end of the telephone's line cord. Insert into a wall or baseboard jack until it clicks. To disconnect, press the tab and pull out.)
- If a network interface jack is not already installed in your location, you can order one from your telephone company. Order RJ11W/RJ14W for wall-mounted telephones or RJ11C/RJ14C for desk or table use. In some states, customers are permitted to install their own jacks.
- Your telephone may not be connected to a party line or coin telephone line. Connection to Party Line Service is subject to state tariffs. (Contact the state public utility commission, public service commission, or corporation commission for information.)
- It is no longer necessary to notify the telephone company of your telephone's Registration and REN numbers. However, you must provide this information to the telephone company if they request it.
- If you make changes or modifications not expressly approved by the manufacturer, you could void your authority to operate the equipment.

- Equipment cannot be used on public coin phone service provided by your telephone company. Connection to party line service is subject to state tariffs. (Contact the state public utility commission, public service commission or corporation commission for information.)

Signaling method

This unit's push-key dial pad allows it to signal in tones (DTMF). It can complete calls to local and long-distance lines and can also complete long-distance calls using computer telephone systems such as MCI™ or SPRINT™.

MCI is a trademark of MCI.
SPRINT is a trademark of United Telecommunications.

Ringer Equivalence Number

The FCC Registration label (on bottom of telephone) includes a Ringer Equivalence Number (REN), which is used to determine the number of devices you may connect to your telephone line. A high total REN may prevent telephones from ringing in response to an incoming call and may make placing calls difficult. In most areas, a total REN of 5 should permit normal telephone operation. To determine the total REN allowed on your telephone line, consult your local telephone company.

Hearing aids

This telephone is compatible with hearing aids equipped with an appropriate telecoil option.

Programming emergency numbers

When programming emergency numbers or making test calls to emergency numbers:

1. Remain on the line and briefly explain to the dispatcher the reason for calling before hanging up.
2. Perform such activities in the off-peak hours, such as early morning or late evenings.

UL installation instructions

Warning: To avoid electrical shock hazard to personnel or damage to equipment, observe the following precautions when installing telephone equipment:

1. Never install telephone wiring during a lightning storm.
2. Never install telephone jacks in wet locations unless the jack is specifically designed for wet locations.
3. Never touch uninsulated telephone wires or terminals unless the telephone line has been disconnected at the network interface.
4. Use caution when installing or modifying telephone lines.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the product.

This symbol on the product is used to identify the following important information. Use only with:

— Northern Telecom model SPA-3545A-82 (Salom Electric) power adaptor.

OR

— CSA-NRTL certified or UL listed, CLASS 2 power source (12 Vac/200 mA max/50 or 60 Hz).



This product contains a NICKEL-CADMIUM RECHARGEABLE BATTERY WHICH MUST BE RECYCLED OR DISPOSED OF PROPERLY. Recycling facilities may not be available in all areas. The enclosed battery is labeled indicating its type.

Important safety instructions

1. **Read and understand all instructions.**
2. Follow the warnings and instructions marked on the product.
3. Unplug this product from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning.

Index

A

- Answering calls
 - any key 1, 11
 - Handset 11
 - Speakerphone 12
- Antenna 3, 5, 7
- Area code 14
- Arrow keys 3, 16–22
- Attaching the stand 6, 7

B

- Base 2
 - Base light 4, 25
 - Callers light 4, 25
 - Description 4
 - Intercom light 4, 25
 - Locating 5, 26
 - Message light 25
 - Mute 12
 - Speakerphone 12
 - Talk/Mute light 4, 25
 - Volume control 4, 14

Base lights 25

Battery

- Changing 10
 - Charging 8, 23
 - Level indicator 9, 23
 - Replacing 10
- Battery disposal 30
 - Battery Low 8, 23, 26
 - Battery pack 2, 10

C

- Call reception 13, 26
- Call timer 18
- Call Waiting 19
- Callers bumped 15, 24
- Callers key 3, 16
- Callers light 4, 25
- Callers List

Copying to Directory 17

- Deleting items 17
- Description 15–17, 23, 24
- Dialing 17
- Setting up 16

Calls

- Answering 11
 - Holding 11
 - Making 11
 - Speakerphone 12
- Channel, changing 13
 - Charge light 4, 25
 - Problems 27
 - Charging 9
 - CHNGE display key 11, 13, 14, 16, 22, 24

D

- Delete key 3, 17, 18, 21
- Desk mount 6
- DIAL display key 17, 18, 20, 23, 24, 27

Dialing 11

- Base 12
 - Callers List 17
 - Directory 20
 - Handset 11
 - Problems 26
- Directory 20–22
 - Adding a pause 21
 - Adding names 22
 - Copying from Callers 17
 - Deleting items 22
 - Dialing 20
 - Editing 22
 - Entering names 21
 - Entering numbers 21
 - Key 3, 20, 21
 - Names 21

Pause 21
Power adaptor 2, 30
Power cord 5
Power switch, handset 3, 8, 9
Predialing a number 18
Private name 24
Private number 24
Problems with phone 26
Prompts table 23, 24
Q
Quick Charge 9
Quick Reference Card 2
R
Radio interference 13, 28
Range 10, 23, 27
Redial empty 24
Redial key 1, 3, 4, 18
Redial List 18
Regulatory information 28
Repair information 32
Ringer Equivalence Number 29
Ringer volume
 Base 4, 14
 Handset 14
 Prompt display 24
S
Safety instructions 30
Save key 3, 17, 21
Scan key 1, 3, 13
 Problems 26
Security code 13
Sorry! Try again 24
Spanish language 8, 13, 27
Speakerphone 12
 Mute 12
Stand 2
 Attaching 6, 7
Subscribed services 19

T
Talk key 3, 11, 15, 17, 18, 19, 20
Talk/Mute key 4
Talk/Mute light 4, 25
Telephone cords 5
Telephone setup 13
Three Way Calling 19
Troubleshooting 26
 Battery Low 26
 Charge light 27
 Dialing problems 26
 Display language 27
 Handset beeps 27
 Holding calls 27
 Out of range 27
 Phone doesn't work 26
 Ringer volume 27
 Scan key 26
 Static on line 26
U
Unknown name 24
Unknown number 24
Unpacking the phone 2
V
Volume control
 Base ringer 4, 14
 Base speaker 4, 14
 Handset receiver 3, 14
 Handset ringer 14
W
Wall mount 7
Warnings
 Battery Low 23
 Out of range 23
Warranty 32

